Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	"5920479"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 11:08
L3	289	remot\$4 with install\$4 with (device component) with (malfunction error mistak\$4 problem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:51
L4	8	remot\$4 with install\$4 with (device component) with (malfunction error mistak\$4 problem) with wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:45
L5	92	remot\$4 with install\$4 with (device component) with (malfunction error mistak\$4 problem)	US-PGPUB; USPAT	OR	ON	2007/02/01 13:19
L6	1198	700/83.ccls.	US-PGPUB; USPAT	OR	ON	2007/02/01 13:21
L7	776	700/17.ccls.	US-PGPUB; USPAT	OR	ON	2007/02/01 13:21
L8	337	700/264.ccls.	US-PGPUB; USPAT	OR	ON	2007/02/01 13:21
L9	565	700/83.ccls. and remot\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 13:21
L10	465	700/83.ccls. and remot\$4 and (user near interface GUI hand nea held)	US-PGPUB; USPAT	OR	ON	2007/02/01 13:22
L11	326	700/83.ccls. and remot\$4 and (user near interface GUI hand near held)	US-PGPUB; USPAT	OR	ON	2007/02/01 13:22
L12	174	700/83.ccls. and remot\$4 and (user near interface GUI hand near held) and (error malfunction\$4)	US-PGPUB; USPAT	OR	ON	2007/02/01 13:23
L13	0	700/83.ccls. and remot\$4 and (user near interface GUI hand near held) and (error malfunction\$4) with enabl\$4 with transmi\$7	US-PGPUB; USPAT	OR	ON .	2007/02/01 13:24
L14	2	700/83.ccls. and remot\$4 and (user near interface GUI hand near held) and (error malfunction\$4) with enabl\$4 same transmi\$7	US-PGPUB; USPAT	OR	ON	2007/02/01 13:24
L15	4	700/83.ccls. and remot\$4 and (user near interface GUI hand near held) and (error malfunction\$4) same enabl\$4 same transmi\$7	US-PGPUB; USPAT	OR	ON	2007/02/01 13:54

			,			
L16	24	"5920479"	US-PGPUB; USPAT	OR	ON	2007/02/01 13:54
L17	9	"6654816"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON <sub>.</sub>	2007/02/01 15:11
L18	5	handadj held adj device with identif\$7 with (malfunction error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 15:12
L19 .	5	hand adj held adj device with identif\$7 with (malfunction error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΟŇ	2007/02/01 15:16
L20	6	hand adj held adj device same identif\$7 near2 (malfunction error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 15:19
L21	18	hand adj held adj device same malfunction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 15:21
L22	530	hand adj held and (device component equipment) near2 malfunction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 15:22
L23	121	hand adj held and (device component equipment) near2 malfunction same process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 15:22
L24	25	hand adj held and (device component equipment) near2 malfunction with process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÓR	ON	2007/02/01 16:10
L25	2	"20020077711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 15:35

			,			
L26	598	(device component equipment) near2 malfunction same identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:24
L27	363	(device component equipment) near malfunction same identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 16:52
L28	135	(device component equipment) near malfunction with identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/01 17:23
L29		(device component equipment) near malfunction with identif\$7 with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:30
L30	456	(device component equipment) near malfunction with indicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:30
L31	268	(device component equipment) near malfunction near3 indicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:31
L32	253	(device component equipment) near malfunction near3 indicat\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 17:31
L33	137	((device component equipment) near malfunction) near indicat\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 17:33
L34	3	((device component equipment) near malfunction) near indicat\$4 with radio	US-PGPUB; USPAT	OR	ON	2007/02/01 17:33
L35	28	((device component equipment) near malfunction) near indicat\$4 with signal	US-PGPUB; USPAT	OR	ON	2007/02/01 17:40
L36	137	((device component equipment) near malfunction) near indicat\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 17:40
L37	0	((several multiple numbers plurality) near (device component equipment) near malfunction) near indicat\$4	US-PGPUB; USPAT	OR .	ON	2007/02/01 17:42
L38	1	((several multiple numbers plurality) near2 (device component equipment) near malfunction) near indicat\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 17:42

L39	2	((several multiple numbers plurality) near2 (device component equipment) near malfunction) with select\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 17:44
L40	14	((several multiple numbers plurality) with (device component equipment) near malfunction) with select\$4	US-PGPUB; USPAT	OR	ON .	2007/02/01 17:51
L41	83	((several multiple numbers plurality) with (device component equipment) with malfunction) with select\$4	US-PGPUB; USPAT	OR .	ON	2007/02/01 17:52
L42	0	((several multiple numbers plurality) with (device component equipment) with malfunction) with select\$4 not 41	US-PGPUB; USPAT	OR	ON	2007/02/01 17:52
L43	69	((several multiple numbers plurality) with (device component equipment) with malfunction) with select\$4 not 40	US-PGPUB; USPAT	OR	ON	2007/02/01 17:58
L45	193	(hand adj held handheld PDA GUI mobil adj device) with select\$4 with (malfunction error)	US-PGPUB; USPAT	OR	ON	2007/02/01 18:02
L46	1	(hand adj held handheld PDA GUI mobil adj device) with select\$4 with malfunction	US-PGPUB; USPAT	OR	ON	2007/02/01 18:02
L47	0	(hand adj held handheld PDA GUI mobil adj device) with (multiple several plurality many) near2 malfunction	US-PGPUB; USPAT	OR	ON	2007/02/01 18:04
L48	386896	(hand adj held handheld PDA GUI mobil adj device) with select\$4 (multiple several plurality many) near2 (signal\$4 indicat\$4 information)	US-PGPUB; USPAT	OR ·	ON	2007/02/01 18:05
L49	1	(hand adj held handheld PDA GUI mobil adj device) near2 select\$4 near (multiple several plurality many) near2 (signal\$4 indicat\$4 information)	US-PGPUB; USPAT	OR	ON	2007/02/01 18:08
L50	3	(hand adj held handheld PDA mobil adj device) near2 select\$4 with (multiple several plurality many) near (signal\$4 indicat\$4 information)	US-PGPUB; USPAT	OR	ON	2007/02/01 18:10
L51	115	(hand adj held handheld PDA mobil adj device) with receiv\$4 adj (data signals information) with select\$4	US-PGPUB; USPAT	OR	ON	2007/02/01 18:12

						•
L52	5	(hand adj held handheld PDA mobil adj device) with wireless\$4 near2 receiv\$4 adj (data signals information) with select\$4	US-PGPUB; USPAT	OR .	ON ·	2007/02/01 18:12
S1	14	"6167464"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:57
<b>S2</b>	106	link\$4 with bluetooth with identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/05 10:40
<b>S3</b>	. 0	(instal\$6 link\$4 connect\$4) with bluetooth with identif\$4 with display with (recommand\$7 select\$5 list\$4) same \$3connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:42
54	0	(instal\$6 link\$4 connect\$4) with bluetooth with identif\$4 with display with (recommand\$7 select\$5 list\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:42
S5	5	(instal\$6 link\$4 connect\$4) with bluetooth with identif\$4 with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:00
S6	2	"200 <del>4</del> 0227641"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 11:00
<b>S7</b>	11	(instal\$6 link\$4 connect\$4) with bluetooth with identif\$4 with locat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:07
S8	0	(instal\$6 link\$4 connect\$4) with bluetooth with identif\$4 with disconnec\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:07
S9	1	(instal\$6 link\$4 connect\$4) with bluetooth with identif\$4 same disconnec\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:08

S10	3	(instal\$6 link\$4 connect\$4) with bluetooth same identif\$4 with disconnec\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:13
S11	123	(instal\$6 link\$4 connect\$4) with bluetooth same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:13
S12	47	(instal\$6 link\$4 connect\$4) with bluetooth with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:13
S13	766794	soft PLC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/30 14:01
S14	61	"soft PLC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:02
S15	2	"20020107586"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:09
S16	9	"6654816"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:41
S17	. 0	WO02075466	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/30 15:42
S18	3	"02075466"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:42
S19	12	"075466"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:42

S20	12	Kreikemeier near bruce	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2007/02/01 12:39
•		. *	IBM_TDB			